


Product Data Sheet

Juno CCT and Power Switchable 25w/36w TP(a) backlit LED panel

Part No: JUNO-6060-CT

- WATTAGE SWITCHABLE: 25W | 36W
- CCT SWITCHABLE: 4000K | 5000K | 6000K
- TP(a) diffuser
- UGR19
- Low glare
- Flicker-free plug & play driver
- 5-year warranty
- Optional 3hr emergency pack (EM-LED-CONKIT)
- Optional 3hr self-test emergency pack (EM-LED-CONKIT-ST)
- Optional surface mounting kit (6060-SM)



Optional 3 hr emergency plug & play pack
EM-LED-CONKIT



Optional 3 hr emergency self-test plug & play pack
EM-LED-CONKIT-ST



Technical Specification

Part No	JUNO-6060-CT
Lumens	3250lm / 4680lm
CCT	4000K 5000K 6000K
Colour Temperature	CCT

Finish	White
Voltage	240
Wattage	25w / 36w
CRI	80
IP Rating	20
UGR Rating	19
Dimmable	N
Lamp Holder	Integrated LED
Length	595
Depth	25
Width	595
Class 1 or 2 or 3	II
Material / Made From	Pressed Steel/ Polycarbonate Diffuser
EAN	5055530838222
Unit of sale	1
Price	each
Notes	